



13th May 2020

Dear Customer

Subject : Latest revision to DTEX Certificate No. Baseefa18ATEX0152X

Please find attached the latest revision to the DT Series ATEX Certificate.

The latest revision of this certificate automatically supersedes any previous certificate Issued.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Ruth Desmond', is placed below the 'Sincerely,' text.

Ruth Desmond

Sales Operations Manager
Entel UK Ltd.

1 EU - TYPE EXAMINATION CERTIFICATE

2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres Directive 2014/34/EU

3 EU - Type Examination Certificate Number: **Baseefa18ATEX0152X – Issue 3**

4 Product: **Handheld Radio Transceiver DTE Series**

5 Manufacturer: **Entel UK Limited**

6 Address: **320 Centennial Avenue, Centennial Park, Elstree, Hertfordshire,
WD6 3TJ**

7 This re-issued certificate extends EU Type Examination Certificate No. Baseefa18ATEX0152X to apply to product designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

8 SGS Baseefa, Notified Body number 1180, in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential Report No. **See Certificate History**

9 Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN IEC 60079-0:2018 EN 60079-11:2012

except in respect of those requirements listed at item 18 of the Schedule.

10 If the sign “X” is placed after the certificate number, it indicates that the product is subject to the Specific Conditions of Use specified in the schedule to this certificate.

11 This EU - TYPE EXAMINATION CERTIFICATE relates only to the design and construction of the specified product. Further requirements of the Directive apply to the manufacturing process and supply of this product. These are not covered by this certificate.

12 The marking of the product shall include the following:

See schedule

SGS Baseefa Customer Reference No. **7222**

Project File No. **19/0289**

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and the Supplementary Terms and Conditions accessible at <http://www.sgs.com/SGSBaseefa/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Baseefa Limited

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail baseefa@sgs.com web site www.sgs.co.uk/sgsbaseefa

Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN



R S SINCLAIR
TECHNICAL MANAGER

On behalf of SGS Baseefa Limited

13 Schedule

14 Certificate Number Baseefa18ATEX0152X – Issue 3

15 Description of Product

The Handheld Radio Transceiver DTE Series is comprised of a range of hand held, battery powered, portable, two-way radios. Each model has a plastic enclosure containing printed circuit boards and, optionally, a keypad and an OLED (organic light emitting diode) display. A transmit/receive antenna is mounted externally by a screw connection. The battery supply is contained in a separate pack which is attached to the main enclosure by plastic clips and secured by a locking screw. The battery supply comprises two, rechargeable, lithium ion cells connected in series. The battery pack maintains intrinsic safety when separated, permitting removal in an explosive atmosphere. The battery pack shall not be recharged in an explosive atmosphere.

The only external user connections are to the battery charging terminals for the charger; the side connector for the audio accessories; and the USB connector for the USB Programming Lead.

The following is a list of the UHF model numbers and associated certification coding covered by this certificate:

DT882, DT885	⊕ II 2G Ex ib IIA T4 Gb (-20°C ≤ Ta ≤ +40°C)
DT882FF, DT882M, DT885FF, DT885M	⊕ II 2G Ex ib IIB T4 Gb (-20°C ≤ Ta ≤ +40°C)
DT952, DT953, DT981, DT982, DT985, DT982M, DT982FF, DT985FF, DT985M	⊕ II 2G Ex ib IIC T4 Gb (-20°C ≤ Ta ≤ +40°C)

The following is a list of the VHF model numbers and associated certification coding covered by this certificate:

DT822, DT825,	⊕ II 2G Ex ib IIA T4 Gb (-20°C ≤ Ta ≤ +40°C)
DT842, DT842FF, DT844, DT844FF	⊕ II 2G Ex ib IIB T4 Gb (-20°C ≤ Ta ≤ +40°C)
DT922, DT925, DT942, DT942FF, DT944, DT944FF	⊕ II 2G Ex ib IIC T4 Gb (-20°C ≤ Ta ≤ +40°C)

The following electrical accessories are certified and approved for use with the DTE Series Portable radios:

Accessory	Description
CMP/DT9	Submersible Speaker/Microphone
CHP950D	Ear defender headset
CHP950HD	Double sided ear defender
CHP950HS	Single sided ear defender
PTT-E/DT9	Push To Talk (PTT) switch for CHP series
PTT-C/DT9	Push To Talk (PTT) switch for CXR series
CXR5	Bone conductive skull microphone
CXR16	Bone conductive throat microphone
CPRG-DTE	USB programming box
CXR5/DT9	CXR5 and PTT-C/DT9
CXR16/DT9	CXR16 and PTT-C/DT9
CHPD/DT9	CHP950D and PTT-E/DT9
CHPHD/DT9	CHP950HD and PTT-E/DT9
CHPHS/DT9	CHP950HS and PTT-E/DT9
EA12/DT9	Earpiece D-shape, microphone & PTT

Accessory Interface Terminal Parameters

The side connector matrix of connections is for use in the hazardous area and contains two Intrinsically safe circuits that have a common 0V connection but must be kept separate in connected accessories. If not fully isolated in the accessory, the two circuits must be isolated except for a minimum resistance between them of no less than 1089Ω including tolerances.

1 2 3	Row A, i.e.: A1, A2, A3
1 2 3	Row B, i.e.: B1, B2, B3
1 2 3	Row C, i.e.: C1, C2, C3
1 2 3	Row D, i.e.: D1, D2, D3
1 2 3	Row E, i.e.: E1, E2, E3

Accessory interface (C1, C2, C3, D1, D2, D3, E1, E2 & E3 w.r.t. A1, B1, B2 & B3):

U_o = 8.4V peak; 7.6V nominal
I_o = 1.225A peak; 107mA steady state
P_o = 0.735W
C_i = 5.39μF
L_i = zero
C_o = 1.0μF
L_o = 15μH

Audio PA interface (A2 & A3 w.r.t. A1):

U_o = 8.4V peak; 7.6V nominal
I_o = 1.26A peak; 340mA steady state
P_o = 1.812W
C_i = 4.83μF
L_i = zero
C_o = 1.0μF
L_o = 150μH (maximum inductance of a loud-speaker with a minimum cold resistance of 14Ω)

16 Report Number

See Certificate History

17 Specific Conditions of Use

1. Only suitably certified accessories may be connected to the micro-USB and Accessory connectors located under the side connector cover.
2. Accessories must keep the two Intrinsically Safe circuits “Accessory Interface” and “Audio PA Interface” isolated from each other. If not fully isolated in the accessory, the two circuits must be isolated except for a minimum resistance between them of no less than 1089Ω including tolerances.

18 Essential Health and Safety Requirements

In addition to the Essential Health and Safety Requirements (EHSRs) covered by the standards listed at item 9, the following are considered relevant to this product, and conformity is demonstrated in the report:

Clause	Subject
1.2.7	LVD type requirements
1.2.8	Overloading of equipment (protection relays, etc.)
1.4.1	External effects
1.4.2	Aggressive substances, etc.

19 Drawings and Documents

New drawings submitted for this issue of certificate:

Number	Sheet	Issue	Date	Description
EDN001	1 of 1	3	28/11/2019	DTEX Main and OLED PCB assembly
EDN002	1 of 1	2	28/11/2019	DTEX Cabinet OLED area encapsulation
EDN003	1 of 1	3	28/11/2019	DTEX Radio general assembly
EDN004	1 of 1	6	13/Dec/2019	DTEX Labels
EDN007	1 of 1	2	13/Dec/2019	Battery Pack Labels
EDN008	1 of 1	2	28/11/2019	VHF Main and OLED PCB assembly
EDN009	1 of 1	1	28/11/2019	DTEX Radio general assembly (non-display)
EDN011	1 of 1	2	13/Dec/2019	CMP/DTx Labels
EDN040	1 of 1	1.0	12/DEC/2019	General Assembly (EA12/DT)
EDN041	1 of 1	1.0	12/DEC/2019	Cable Details (EA12/DT)
EDN042	1 of 1	2	13/Dec/2019	Tag Labels (EA12/DT9)
EDN100	1 of 1	3.0	26/06/2019	DTEX Radio USB Cable (Schematic)
EDN103	1 to 16	4.13	30_01_2020	DT Main Board Schematics (UHF)
EDN104	1 to 3	4.13	30-Jan-2020	DT Main BoM (UHF)
EDN116	1 of 1	1.2	29/11/2019	DT Highway Flexi PCB Schematics
EDN117	1 to 7	3.2	28/11/2019	DT Highway Flex
EDN120	1 to 5	1.5	6 th Mar 2020	DT Accessory Interface Specification
EDN129	1 to 7	3.0	26/06/2019	DT USB Cable PCB (Artwork)
EDN130	1 to 2	3.0	24/10/2019	PTT951C-DT Schematic
EDN131	1 to 2	3.0	24/10/2019	PTT950/DT Schematic
EDN132	1 of 1	3.0	24/10/2019	PTT951C/DT BOM
EDN133	1 of 1	3.0	24/10/2019	PTT950/DT BOM
EDN134	1 to 7	3.0	24/10/2019	PTT/DT PCB (Artwork)
EDN135	1 of 1	1.0	14/10/2019	EA12 PTT Schematic
EDN136	1 to 7	2.0	13 th Dec 2019	EA12 PTT PCB (Artwork)
EDN137	1 of 1	1.0	24/10/2019	EA12 PTT BOM
EDN150	1 to 15	2.2	25/11/2019	DT VHF Main Board
EDN151	1 to 16	2.5	30_01_2020	DT Main Board VHF Schematics
EDN152	1 to 4	2.5	30-Jan-20	DTx25 Radio Main Board RnD BoM (Display Variant)
ATEX-TAG-LAB-05	2 of 2	06	15 Oct 19	Accessory Tag Labels
Ex-CNB950E V2-01 ^{*1}	1 of 1	03	07 Mar 2017	CNB950E V2 Block Diagram
Ex-CNB950E V2-02 ^{*1}	1 of 1	02	07 Mar 2017	CNB950E V2 General Assembly
Ex-CNB950E V2-04 ^{*1}	1 of 1	02	07 Mar 2017	CNB950E V2 Battery Pack Internal Assembly
Ex-CNB950E V2-09 ^{*1}	1 of 1	3	25-11-2016	CNB950E V2 Limiter PCB (Schematic)
Ex-CNB950E V2-10 ^{*1}	1 to 3	03	07 Mar 2017	CNB950E V2 Limiter PCB (Artwork)
Ex-CNB950E V2-11 ^{*1}	1 of 1	3	04/12/2016	CNB950E V2 Charge Control Schematic

Ex-CNB950E V2-12 * ¹	1 to 4	02	07 Mar 2017	CNB950E V2 Charging Control PCB (Artwork)
Ex-CNB950E V2-14 * ¹	1 to 2	3.0	07 Mar 2017	CNB950E V2 Charging Control Board BOM
Ex-CNB950E V2-15 * ¹	1 of 1	3.0	07 Mar 2017	CNB950E V2 Limiter PCB BOM
Ex-CNB950E V2-16 * ¹	1 to 3 5 to 7	02	07 Mar 2017	CNB950E V2 Battery Pack Charging PCB Layer Separations
Ex-CNB950E V2-17 * ¹	1 to 4	02	07 Mar 2017	CNB950E V2 Limiter PCB Layer Separations

These drawings are also associated and held with IECEx BAS 18.0094X

Current drawings which remain unaffected by this issue:

Number	Sheet	Issue	Date	Description
EDN005	1 of 1	1.0	02/01/2019	DTEX Cabinet main
EDN006	1 of 1	2.0	09/04/2019	Projected Areas
EDN010	1 to 2	3	31/05/2019	CMP/DTx General Assembly
EDN011	1 of 1	1	21/05/2019	CMP/DTx Labels
EDN012	1 of 1	2	31/05/2019	CMP/DTx Projected Areas
EDN013	1 of 1	2	31/05/2019	CMP/DTx Cable Details
EDN020	1 to 2	1	21/05/2019	PTT-x/DT9 General Assembly
EDN021	1 of 1	1	21/05/2019	PTT-x/DT9 Label
EDN022	1 of 1	1	21/05/2019	PTT-x/DT9 Projected Areas
EDN023	1 of 1	1	21/05/2019	PTT-x/DT9 Cable Details
EDN030	1 to 2	1	30/05/2019	Programming Lead/DTEX - General Assembly
EDN031	1 of 1	1	30/05/2019	Programming Lead/DTEX - Label
EDN033	1 of 1	1	30/05/2019	Programming Lead/DTEX - Cable Details
EDN101	1 of 1	3.1	11/06/2019	DT Authentication Schematics
EDN102	1 to 4	3.1	02/01/2019	DT Authentication PCB (Artwork)
EDN105	1 to 15	4.0	16/01/2019	DT Main Board (UHF)
EDN106	1 of 1	3.04	31/12/2018	DT OLED PCB Schematics
EDN107	1 of 1	3.04	31/12/2018	DT_OLED_BOM
EDN108	1 to 8	3.1	31/12/2018	DT OLED Board
EDN109	1 of 1	1.1	31/12/2018	DT Keypad board Schematics
EDN110	1 of 1	1.1	31/12/2018	DT Keypad BoM
EDN111	1 to 7	2.1	31/12/2018	DT Keypad board
EDN112	1 of 1	1.0	31/12/2018	DT Accessory Flexi PCB Schematics
EDN113	1 to 7	3.1	31/12/2018	DT Accessory Flex
EDN114	1 of 1	1.1	31/12/2018	DT Alarm Flexi PCB Schematics
EDN115	1 to 6	2.1	31/12/2018	DT Alarm Flex
EDN118	1 of 1	1.1	31/12/2018	DT PTT Flexi PCB Schematics
EDN119	1 to 6	3.1	31/12/2018	DT PTT Flex

Number	Sheet	Issue	Date	Description
EDN120	1 to 4	1.2	13/06/2019	DT Accessory Interface Specification
EDN121	1 of 1	2.1	31/01/2019	CMPx50/DT Schematic
EDN122	1 of 1	1.0	10/08/2018	CMPx50/DT_BOM
EDN123	1 to 7	2.0	09/01/2019	CMPx50/DT PCB (Artwork)
EDN124	1 of 1	3.0	07/01/2019	DT Authentication BOM
EDN128	1 of 1	2.0	21/03/2019	DT USB Cable BOM
ATEX-CHP950-01	1 of 1	01	22/07/2011	CHP950 General Assembly
ATEX-CHP950-02	1 of 1	01	30/11/2011	CHP950 to PTT951 Connection Schematic
ATEX-CHP950-05	1 of 1	04	15/07/2019	CHP950 Series Label
ATEX-CXR-950-01 *1	1 of 1	01	30/11/2011	CXR General Assembly
ATEX-CXR-950-02 *1	1 of 1	01	30/11/2011	CXRxx/950 to PTT951 Connection Schematic
Ex-CNB950E V2-03 *1	1 of 1	01	29/01/2014	CNB950E V2 External Connections
Ex-CNB950E V2-05 *1	1 of 1	01	17/02/2015	CNB950E V2 Inter-board Flexi Schematic
Ex-CNB950E V2-06 *1	1 of 1	01	17/02/2015	CNB950E V2 Battery Pack Inter-board Flexi PCB
Ex-CNB950E V2-07 *1	1 of 1	01	17/02/2015	CNB950E V2 Charging Flexi Schematic
Ex-CNB950E V2-08 *1	1 to 2	01	18/02/2015	CNB950E V2 Battery Pack Charging Input Flexible PCB
Ex-CNB950E V2-16 *1	4 of 7	01	16/01/2015	CNB950E V2 Battery Pack Charging PCB Layer Separations
Ex-CNB950E V2-18 *1	1 to 4	01	11/02/2014	CNB950E V2 Assembly Separations

These drawings are also associated and held with IECEx BAS 18.0094X

Note 1: Revision 1.0 of this PCB is used for the PTT951-E/DT9 and Revision 2.0 of this PCB is used for the PTT951-C/DT9.

20 Certificate History

Certificate No.	Date	Comments
Baseefa18ATEX0152X	14 February 2019	The release of the prime certificate. The associated test and assessment against the requirements of BS EN IEC 60079-0:2018 and EN 60079-11:2011 is documented in Test Report No. GB/BAS/ExTR18.0295/00 Project Number 16/0533.
Baseefa18ATEX0152X Issue 1	25 April 2019	This issue of the certificate incorporates previously issued primary certificate and permits the following changes: • Minor circuit changes that do not affect the original assessment • Minor Main PCB changes that do not affect the original assessment • Minor mechanical changes that do not affect the original assessment • Models DT882M, DT885M, DT982M, DT985M, DT882FF, DT885FF, DT982FF & DT985FF added. These changes are documents in Test Report No. GB/BAS/ExTR18.0295/01, Project Number 19/0614.

Certificate No.	Date	Comments
Baseefa18ATEX0152X Issue 2	15 July 2019	This issue of the certificate incorporates previously issued primary certificate and permits the following changes: • Introduction of the accessories listed on page 2 of this certificate. These changes are documented in Test Report No.: GB/BAS/ExTR18.0296/00, Project Number 16/0533 • Introduction of the VHF radio variants listed on page 2 of this certificate. These changes are documented in Test Report No.: GB/BAS/ExTR19.0186/00, Project Number 19/0268
Baseefa18ATEX0152X Issue 3	7 May 2020	This issue of the certificate incorporates previously issued primary certificate and permits the following changes: • To permit the addition of various models. • Introduction of minor component changes to the UHF versions of the Handheld Radio Transceiver. • Introduction of minor changes to the DT USB Cable PCB artwork. • Permit the removal of encapsulation from some shielding cans on the VHF Main PCB. • Permit changes to the PTT951-C/DT9 Speaker Microphone • Introduction of the EA12/DT9 PTT Accessory. • Introduction of the Accessory Interface as a User connection facility. • Correction to the drawing revision only of drawings EDN112 & EDN113. These changes are documented in Test Report No.: GB/BAS/ExTR20.0053/00 for project 19/0289
For drawings applicable to each issue, see original of that issue.		